

6HA2M-WDT

M-rating 298kW (405mhp)

YANMAR

MARINE
PROPULSION
DIESEL ENGINE



- 4 valves per cylinder for higher combustion efficiency.
- Turbocharger + intercooler models.
- Available either with marine gear or without marine gear.
- Conform to IMO Tier II emissions regulations.

Specifications


Model	6HA2M-WDT	
Number of cylinders	6 in-line	
Bore × stroke	mm	130 × 165
Displacement	lit.	13.140
Rated output	kW(hp)/rpm	M: 298(405)/1950
Combustion system	Direct injection	
Aspiration	Turbocharger + intercooler	
Starting system	Electric starting motor (24V 6.0kW)	
Cooling system	Heat exchanger	
Size of flywheel housing and flywheel	SAE #1 and 14 in.	
Dry mass (without marine gear)	kg	1465
Dimensions (L×W×H)	mm	1586×1037×1260

Marine gear specifications


Engine model : 6HA2M-WDT						
Model	YX120	YX120L				
Type	Hydraulic multi-disc clutch					
Reduction ratio (Ahead)	2.03	2.57	3.04	346	4.00	4.59
Direction of rotation (propeller shaft)	Clockwise or counterclockwise					
Dry weight	kg	315	411			

Dimensions Unit:mm


Engine only / Front view




Engine only / Left side view



With YX120 gearbox / Front view



With YX120 gearbox / Left side view



	A	B	C	D	E	F
6HA2M-WDT × YX-120	2005	420	1272	1036	519	517
6HA2M-WDT × YX-120L	2039	454	1384	1036	519	517

— Marine gear

Performance curves

